Due Friday, September 25, 2015

All students (either in section D13 or D14) must do all four problems. Note that the fourth problem counts as two problems.

1. You can use a calculator or computer algebra system to help with this problem, but you must show all your steps.

Suppose that at a stage of the simplex algorithm, we have the following tableau T:

		$x_1$	$x_2$	$x_3$	$x_4$	$x_5$	$x_6$
-z	8	0	8/3	-11	0	4/3	0
$x_1$	4	1	2/3	0	0	4/3	0
$x_4$	2	0	-7/3	3	1	-2/3	0
$x_6$	2	0	-2/3	-2	0	2/3	1

The inverse of the current basis is

$$A_B^{-1} = [A_1, A_4, A_6]^{-1} = \frac{1}{3} \begin{pmatrix} 1 & 1 & -1 \\ 1 & -2 & 2 \\ -1 & 2 & 1 \end{pmatrix}$$

and

$$c_B^T = [c_1, c_4, c_6] = [-1, -3, 1].$$

Find vectors c and b and the matrix A that correspond to the original linear program.

- 2. Solve the LP in Example 2.7 (pages 51–52) of the book using Bland's anticycling algorithm.
- 3. For the previous problem, find the matrix by which we have to pre-multiply the original tableau in order to get the final tableau. In other words, if T is the initial tableau and  $\tilde{T}$  is the final tableau, then find the matrix X such that  $XT = \tilde{T}$ . You should use the fact that  $XT_i = \tilde{T}_i$  where  $T_i$  is column i of T and  $\tilde{T}_i$  is column i of  $\tilde{T}$ .
- 4. This problem counts as two problems. You must show the steps of the simplex procedure on this problem, but you are encouraged to use a linear program solver to check your answers to this problem. Please make sure the first phase is correct before proceeding to the second stage.

Introduce 3 artificial variables and solve with two-phase simplex algorithm the LP represented by the tableau below.

		$x_1$	$x_2$	$x_3$	$x_4$	$x_5$
-Z	0	4	8	14	2	10
	14	2	2	4	2	4
	12	2	4	6	2	2
	8	2	2	2	4	2